Author index

Ackermand, D., *see* Sills, J. D.

Banno, S., *see* Ishizuka, H.
Barnicoat, A. C. Metamorphism of the Scourian Complex, NW Scotland, 163
Black, L. P., James, P. R. & Harley, S. L. Geochronology and geological evolution of metamorphic rocks in the Field Islands area, East Antarctica, 277
Brown, M. Editorial: Background to the Journal and its intended scope, 1
Brown, M. & Earle, M. M. Cordierite-bearing schists and gneisses from Timor, eastern Indonesia: P-T conditions of metamorphism and tectonic implications, 183

Carswell, D. A., *see* Cuthbert, S. J.
Compagnoni, R., *see* Williams, P. F.
Coombs, D. S., *see* Kawachi, Y.
Cuthbert, S. J., Harvey, M. A. & Carswell, D. A. A tectonic model for the metamorphic evolution of the Basal Gneiss Complex, Western South Norway, 63

Dowse, M., *see* Kawachi, Y.
Droop, G. T. R. Pre-Alpine eclogites in the Pennine Basement Complex of the Eastern Alps, 3

Earle, M. M., *see* Brown, M.
Enami, M. Petrology of pelitic schists in the oligoclase-biotite zone of the Sanbagawa metamorphic terrain, Japan: phase equilibria in the highest grade zone of a high-pressure intermediate type of metamorphic belt, 141
Ernst, W. G. Mineral parageneses in metamorphic rocks exposed along Tailuko Gorge, Central Mountain Range, Taiwan, 305
Etheridge, M. A., Wall, V. J. & Vernon, R. H. The role of the fluid phase during regional metamorphism and deformation, 205
Evans, J. A., *see* Powell, R.

Gouchi, N., *see* Ishizuka, H.
Grapes, R. H., *see* Kawachi, Y.
Grapes, R. & Otsuki, M. Peristerite compositions in quartzofeldspathic schists, Franz Josef-Fox Glacier Area, New Zealand, 47

Harley, S. L., *see* Black, L. P.
Harvey, M. A., *see* Cuthbert, S. J.
Herd, R. K., *see* Sills, J. D.
Hollis, J. D., *see* Wass, S. Y.
Horrocks, P. C. A corundum and sapphirine paragenesis from the Limpopo Mobile Belt, southern Africa, 13

Imaizumi, M., *see* Ishizuka, H.
Ishizuka, H., Imaizumi, M., Gouchi, N. & Banno, S. The Kamuikotan zone in Hokkaido, Japan: tectonic mixing of high-pressure and low-pressure metamorphic rocks, 263

James, P. R., *see* Black, L. P.

Kawachi, Y., Grapes, R. H., Coombs, D. S. & Dowse, M. Mineralogy and petrology of a piemontite-bearing schist, western Otago, New Zealand, 353
Konert, G., *see* Van den Eeckhout, B.

Liou, J. G., *see* Schiffman, P.

McLellan, E. L. Contrasting textures in metamorphic and anatectic migmatites: an example from the Scottish Caledonides, 241

Powell, R. & Evans, J. A. A new geobarometer for the assemblage biotite-muscovite-chlorite-quartz, 331

Schiffman, P. & Liou, ’. G. Synthesis of Fe-pumpellyite and its stability relations with epidote, 91
Sills, J. D., Ackermand, D., Herd, R. K. & Windley, B. F. Bulk composition and mineral paragenesis of sapphirine-bearing rocks along a gabbro-lherzolite contact at Finero, Ivrea Zone, N Italy, 337

Van den Eeckhout, B. & Konert, G. Plagioclase porphyroblast growth and its relation to deformation in the Alhamilla unit (Sierra Alhamilla, Betic Cordilleras, SE Spain), 227
Vearncombe, J. R. High pressure–low temperature metamorphism in the Gran Paradiso basement, Western Alps, 103
Vernon, R. H., *see* Etheridge, M. A.

Wall, V. J., *see* Etheridge, M. A.
Wass, S. Y. & Hollis, J. D. Crustal growth in south-eastern Australia—evidence from lower crustal eclogitic and granulitic xenoliths, 25
Williams, P. F. & Compagnoni, R. Deformation and metamorphism in the Bard area of the Sesia Lanzo Zone, Western Alps, during subduction and uplift, 117
Windley, B. F., *see* Sills, J. D.

Subject index

Alpine metamorphism, 103
Alps, 103, 117
anatectic, 241
anatexis, 163
Antarctica, 277
Archaean, 163, 277

Betic Cordilleras, 227
biotite, 331

Caledonides, 63
chlorite, 331
CO_2 fluid inclusions, 25
continent/arc collision, 305
cordierite gneisses, 183
corundum, 13

deformation, 117, 205

eclogite, 3, 117
eclogites, 63
epidote, 91
equilibrium, 47

fluid, 205

garnet, 13
geobarometry, 331
geochronology, 277
geothermobarometry, 25, 63
Gran Paradiso, 103
granulite facies, 163, 337
greenschist facies, 305, 353

Haast Schist, 353
high-pressure metamorphism, 263
'hot emplacement', 227
HP-LT metamorphism, 103
hydrothermal synthesis, 91

isostacy, 63
Ivrea Zone, 337

Kamuikotan zone, 263

Limpopo Mobile Belt, 13
lower crustal xenoliths, 25
low-grade metamorphism, 91
low-pressure metamorphism, 263

manganiferous schist, 353
metamorphic, 241
metamorphic differentiation, 227
metamorphic petrology, 277
metamorphism, 13, 117, 163, 205
Mg-Al celadonite, 331
migmatisation, 241
muscovite, 331

Neogene recrystallization, 305

oligoclase-biotite zone, 141
ophiolite, 263
Outer Banda Arc, 183

pelites, 141
peristerite gap, 47
phase equilibria, 141
piemontite, 353
plagioclase, 47
plagioclase porphyroblastesis, 227
polymetamorphism, 3
processes, 205
P-T conditions, 183, 305
P-T paths, 183
pumpellyite, 91

Sanbagawa metamorphic terrain, 141
sapphirine, 13, 337
Scotland, 163
Scottish Caledonides, 241
Scourian Complex, 163
'snap-shots', 227
Southern Alps, 47
spessartine, 353
structure, 277
subduction, 117
symplectite, 337

Taiwan, 305
Tauern Window, 3
tectonic block, 263
tectonics, 63
textures, 241
thermal gradient, 47
thermobarometry, 3
Timor, 183
transport, 205

underplating, 25